

## **Amendment to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**

Claims 1-37 have been cancelled without prejudice.

38. (previously presented) A spray booth comprising:

- a plurality of panels having opposite ends selectively arrangable in series with opposing ends of adjacent panels being attached together to form a spray booth wall;

- at least two channels, at least one of the channels formed along a length of one of the ends of one of the adjacent panels and at least one of the channels formed along a length of one of the ends of another of the adjacent panels; and

- a post rotationally engageable within each of the at least two channels to releasably engage the adjacent panels.

39. (previously presented) A spray booth comprising:

- a plurality of panels having opposite ends selectively arrangable in series with opposing ends of adjacent panels being attached together to form a spray booth wall;

- at least one channel formed at one of the ends of at least one of the panels;

- a post securable to an adjacent panel and rotationally engageable

within the at least one channel to releasably engage the at least one panel to attach the ends of the adjacent panels;

wherein the plurality of panels includes at least two panels attached end-to-end in series in a perpendicular orientation;

wherein the at least two panels each include a channel formed along opposing ends of the panels, and

wherein the post includes a Winged-L-shaped coupler, cooperating with the opposing channels to removeably hold the panels together.

40. (previously presented) A spray booth comprising:

a plurality of panels having opposite ends selectively arrangeable in series with opposing ends of adjacent panels being attached together to form a spray booth wall;

at least one channel formed at one of the ends of at least one of the panels;

a post securable to an adjacent panel and rotationally engageable within the at least one channel to releasably engage the at least one panel to attach the ends of the adjacent panels;

wherein the plurality of panels includes at least two panels attachable end-to-end in series in a co-linear orientation; and

wherein at least one of the two panels includes at least another channel formed at one of the ends opposing the end of the other panel wherein the at least one of the two panels is rotationally engageable with

the other panel at the at least another channel to removeably hold the at least two panels together in a co-linear orientation.

41. (original) A spray booth in accordance with claim 40, wherein the at least another channel and the post are vertically oriented.

42. (original) A spray booth in accordance with claim 40, wherein the at least another channel extends along a majority of a length of the end of the at least two panels, and locks a majority of the length of the ends of the at least two panels together.

43. (original) A spray booth in accordance with claim 40 wherein the other panel includes a third lip insertable into the at least one channel.

44. (original) A spray booth in accordance with claim 40 wherein the at least another channel includes a first lip and a second lip oriented at an acute angle with respect to the first lip.

45. (original) A spray booth in accordance with claim 44 wherein the other panel includes a third lip insertable through a channel opening of the channel, and wherein the third lip abuts the second lip.

46. (original) A spray booth in accordance with claim 40 further comprising:

a ceiling panel having at least one slot wherein the ceiling panel engages with at least one of the side panels at the slot.

47. (original) A spray booth in accordance with claim 46 wherein the slot is formed along an end of the top panel and wherein the slot drops over the side of a side panel.

48. (original) A spray booth in accordance with claim 46 wherein the slot extends along a majority of a length of the ceiling panel and locks a majority of the length of the at least one panel.

49. (original) A spray booth in accordance with claim 46 wherein the ceiling panel has two slots and engages with two side panels attached end-to-end in series in a perpendicular orientation.

50. (original) A spray booth in accordance with claim 46 wherein the ceiling panel includes a lip engageable with a second ceiling panel.

51. (original) A spray booth in accordance with claim 46 wherein the ceiling panel includes a second lip extending from a first lip, and wherein the second lip is oriented at an acute angle with respect to the first lip.

52. (canceled).

53. (currently amended) A spray booth comprising:

at least a first panel and an adjacent second panel, each panel having opposite ends, said panels arranged together in series to form a spray booth wall;

at least one channel formed at one of said ends of said at least first panel, said channel having a first lip, and a second lip extending from an outward end of said first lip, said second lip oriented at an acute angle with respect to said first lip; and

a post securable to said second panel and engageable within said at least one channel to engage said first panel, wherein the post includes a post channel, the adjacent panel rotationally engageable within the post channel to releaseably engage the adjacent panel to the at least one panel, and ~~in accordance with claim 52~~ wherein the post channel includes a post hook wall oriented at an acute angle with respect to the post wing.

54. (original) A spray booth in accordance with claim 53 wherein the at least one of the panels includes a third lip which abuts with the post hook wall.

55. (currently amended) A spray booth comprising:

at least a first panel and an adjacent second panel, each panel having opposite ends, said panels arranged together in series to form a spray booth wall;

at least one channel formed at one of said ends of said at least first panel,  
said channel having a first lip, and a second lip extending from an outward end of  
said first lip, said second lip oriented at an acute angle with respect to said first  
lip; and  
a post securable to said second panel and engageable within said at least one  
channel to engage said first panel, wherein the post includes a post channel, the  
adjacent panel rotationally engageable within the post channel to releaseably engage  
the adjacent panel to the at least one panel, and ~~in accordance with claim 52~~ wherein  
the post includes a generally S-shaped coupler, cooperating with the opposing side  
panels to removeably hold the panels together.

**Claims 56 – 64 have been cancelled without prejudice**

65. (previously presented) A spray booth comprising:

at least two adjacent panels having opposite ends being attached together  
to form a spray booth wall;

at least one channel formed at one of the ends of at least one of the  
panels, the channel including a first lip positioned at the one of the ends and a  
second lip oriented at an acute angle with respect to the first lip;

a post securable to an adjacent panel and removeably receivable within  
the at least one channel to releasably engage the at least one panel to engage  
the ends of the adjacent panels;

wherein the at least two panels are attached end-to-end in series in a

perpendicular orientation;

wherein the at least two panels each include a channel formed along opposing ends of the panels, and

wherein the post includes a Winged-L-shaped coupler, cooperating with the opposing channels to removeably hold the panels together.

**Claims 66 – 68 have been cancelled without prejudice**

69. (previously presented) A spray booth structural member such as a wall or ceiling comprising:

at least two adjacent panels having opposite side ends being attached together to form a spray booth member; and

at least one channel formed at one of the ends of one of the panels opposing the end of the adjacent panel, the at least one channel including a first lip and a second lip oriented at an acute angle with respect to the first lip, the adjacent panel having a third lip, said third lip having a terminal end, at least a portion of said terminal end contacting the second lip.

70. (currently amended) A spray booth structural member in accordance with claim 69 wherein the at least one of the panels is rotationally engageable with the adjacent panel at the at least one channel and wherein the adjacent panels are attached in a substantially co-linear orientation.

71. (currently amended) A spray booth structural member in accordance with claim 69 further comprising ~~wherein the booth further comprises~~ a top panel having at least one slot wherein the top panel engages with at least one of the panels at the slot.

**Claims 72-102 have been cancelled without prejudice.**

103. (previously presented) The spray booth structural member of claim 69 where the entirety of the third lip abuts the first lip along at least a portion of the channel.

104. (previously presented) The spray booth structural member of claim 69 where the third lip abuts the entirety of the first lip within at least a portion of the channel.

105 (previously presented) The spray booth structural member of claim 69 where the entirety of the third lip abuts the entirety of the first lip within at least a portion of the channel.

106 (previously presented) The spray booth structural member of claim 69 where the second lip extends from an outward end of the first lip.

107 (previously presented) The spray booth structural member of claim 69 where the first lip extends generally perpendicular to a first side member of the one of the panels.

108 (previously presented) The spray booth structure member of claim 107 where substantially the entirety of the third lip abuts the first lip along at least a portion of the channel.



**Claims 109-112 have been cancelled without prejudice.**

113. (New) The spray booth structural member of claim 69 where at least a portion of said terminal end contacts a corner defined by said first lip and said second lip.

114. (New) The spray booth structural member of claim 69 where at least a portion of said terminal end contacts a hook corner.

115. (New) The spray booth structural member of claim 69 further comprising a post.